

TECHNICAL EXPERIENCE





LLECTRICAL STREET LIGHTING PRE WIRED BOX POLE MOUNTED 360 x 252 x 140MM COMPLIES WITH IRISH STANDARDS STOCK CODE: 221339





LECTRICAL STREET LIGHTING RE WIRED BOX POLE MOUNTED

360 x 252 x 140MM

COMPLIES WITH IRISH STANDARDS

The "Killarney Box" Public Lighting (PL) interface box.

When separating Public Lighting (PL) Equipment from ESB's electricity networks, there must now be an 'interface unit' for all public lights mounted on ESB Overhead Networks or directly supplied from ESB Overhead Networks in accordance with Electro Technical Council of Ireland (ETCI) wiring regulations.


The ESB requirements takes into account the time to retrofit 'interface units' on existing public lights and enable Local Authorities or their agents to carry out work using the "Killarney Box", Public Lighting (PL) interface box.



METER BOXES

TECHNICAL EXPERIENCE

Meets ESB Equipment Specification:



ESB equipment:

(1) Main fuse unit.

Customer equipment:

- (2) Enclosure.
- (3) Public lighting main switch-fuse.
- (4) Internal wiring.

(Ref: ESB Public lighting information bulletin No 2.)



* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

TRICEL UK

Tel: +44 (0)1453 791616 Tel: +353 (0)64 663 2421

Registered number 02868648

Registered number IE 075014

TRICEL IRL

ECTRICAL STREET LIGHTING RE WIRED BOX POLE MOUNTED

360 x 252 x 140MM COMPLIES WITH IRISH STANDARDS

METER

TECHNICAL

LVU Renewal Programme

Tricel / Killarney Plastics Ltd. currently supply ESB Networks, to facilitate LVU Renewal **Programme** requirements, with PL Interface Units, pre-wired with internal equipment per

For more information, please refer to ESB Public lighting information bulletin No 2.



Detailed view of the parts supplied

DIMENSIONS

360mm high x 252mm wide x 140mm deep Internal dimensions at back are 327mm x 222mm*

SPECIFICATION & KEY FEATURES

- Approved by ESB networks.
- Meets National Code of Practice at Customer Interface, 4th edition 2008.
- Pre-wired electricity boxes.
- Robust and weatherproof with IP65 rating.
- Fire retardant: BS 476-7:1997, Class 2.
- Will not corrode, weather resistant.
- Non-corrodible hinges [not plastic] and screws.



TRICEL IRL


LECTRICAL STREET LIGHTING RE WIRED BOX POLE MOUNTED


COMPLIES WITH IRISH STANDARDS


METER BOXES

TECHNICAL EXPERIENCE

Detailed Sales Drawing









TRICEL IRL